

SAFETY DATA SHEET

SECTION 1 — PRODUCT IDENTIFICATION

Product identifier: VLR LETTER REMOVING SOLVENT

Product Number:1019, 1020Intended Use:Removal of heat applied letters from textiles.Manufacturer's name and address:Refer to supplierSupplier name and address:Refer to supplier

ALBATROSS USA INC./EXPERT WORLDWIDE

36-41 36th Street Long Island City, New York United States 11106 718-392-6272

5439 San Fernando Road West Los Angeles, California United States 90039 818-543-5850

Emergency Telephone #:

Spill, leak, fire, exposure or accident – Call CHEMTREC – Day or Night (USA & Canada) 1-800-434-9300 or 1-703-527-3887 (Mexico) +01-800-681-9531 (Australia) +(61)-290-372-994 (Belgium) +(32)-280-83237 (New Zealand) +(64)980-10034 (Netherlands) +(31)-858-880-596

This MSDS complies with 29CFR 19190.1200 (Hazard Communication Standard) and WHMIS regulations.

IMPORTANT: Read this MSDS before handling and disposing of this product. Pass this information on to employees, customer, and users of this product.

SECTION 2 — HAZARDS IDENTIFICATION

Flammable Liquids, Category 2 Eye Irritation, Category 2A Specific Target Organ Toxicity, Category 3



GHS Signal Word:

GHS Hazard Phrases:

Danger

- H225: Highly flammable liquid and vapour
- H319: Causes serious eye irritation
- H335: May cause respiratory irritation.
- H336: May cause drowsiness or dizziness.
- P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking
- P233: Keep container tightly closed

GHS Precaution Phrases:

- P240: Ground/bond container and receiving equipment
- P241: Use explosion-proof electrical/ventilating/lighting equipment
- P242: Use only non-sparking tools
- P243: Take precautionary measures against static discharge
- P264: Wash hands thoroughly after handling
- P280: Wear protective gloves/protective clothing/eye protection/face protection
- P261: Avoid breathing gas/mist/vapors/spray
- P271: Use only outdoors or in a well-ventilated area

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+313: If eye irritation persists, get medical advice/attention.
P312: Call a POISON CENTER or doctor/physician if you feel unwell.

P370+378: In case of fire, use dry chemical to extinguishP403+233: Store in well-ventilated place. Keep container tightly closed.P405: Store locked upP501: Dispose of contents/container according to local, state and federal regulations

Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3 — COMPOSITION/INFORMATION ON INGREDIENTS

Substances:

Chemical name:	Concentration	CAS Number
1,3 Dioxolane	>80%	646-06-0
Methyl Acetate	<20%	79-20-9
Water	<1.5%	7732-18-5

All concentrations are by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION 4 — FIRST AID MEASURES

Description of first aid measures:

General advice:

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

Move to fresh air. Get medical attention. Treat symptomatically.

Skin contact

Wash with soap and water. Get medical attention if symptoms persist. Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.

Eye contact

Immediately flush with plenty of water for at least 15 minutes. If easy to do so, remove contact lenses. Get medical attention.

Ingestion:

Call a physician or poison control center immediately. Only induce vomiting at the instructions of medical personnel. Never give anything by mouth to an unconscious person.

Most important symptom and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (section 2) and/or section 11.

Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5—FIRE FIGHTING MEASURES

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture.

Carbon oxides

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

Use water spray to cool unopened containers.

SECTION 6 — ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see Section 8.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and material for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in Container for disposal according to local regulations (see section 13).

Reference to other sections

For disposal see section 13.

SECTION 7 — HANDLING & STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Use explosion-proof equipment. Keep away from sources of ignition – No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers with are opened must be carefully resealed and kept upright to prevent leakage.

Specific end use(s)

Apart for the uses mentioned in section 1, no other specific uses are stipulated.

SECTION 8 — EXPOSURE CONTROL/PERSONAL PROTECTION

Control parameters

Components with workplace control parameters

CAS-No.	Value	Control	Basis
		parameters	
79-20-9	TWA	200 ppm	US ACGIH Threshold Limit Values (TLV)
646-06-0	TWA	20.000000 ppm	US ACGIH Threshold Limit
		79-20-9 TWA	79-20-9TWA200 ppm

		Values (TLV)
Remarks	fects	

Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Eye/face protective equipment

Eye/face protection

Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate governmental standards such as NIOSH (us) or EN 166 (EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body protection

Impervious clothing. Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

information on basic physical	and chemical properties
Appearance:	Clear, colourless, liquid
Odor:	Solvent odor
Odor Threshold:	No data available
pH	No data available
Boiling point range:	55.8 - 75 °
Flashpoint:	-13 °C Tag Closed Cup (Lowest component)
Evaporation Rate:	No data available
Flammability (solid, gas_	No data available
Upper/lower flammability limits	:No data available
Vapour pressure:	228.3 mbar (20 C) Methyl Acetate
Relative density:	N/A
Relative density:	N/A
Water Solubility:	soluble
Partition coefficient:	
n-octanol/water	N/A
Auto-ignition temperature:	250°C (482°F) at 1,019.3 1.027.5 hPA (764.5 – 770.7 mmHg)
Decomposition temperature:	No data available
Viscosity:	No data available
Explosive properties:	No data available
Oxidizing properties:	No data available

SECTION 10 — STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical Stability:

Stable under recommended storage condition Contains the following stabiliser(s): BHT (0.0075%)

Possibility of hazardous reactions:

Vapours may form explosive mixture with air.

Conditions to avoid:

Heat, flames and sparks

Incompatible materials:

Strong oxidizing agents.

Hazardous decomposition products

Other decomposition products - No data available. In the event of fire: section 5

SECTION 11 — TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Inhalation:	May cause respiratory irritation. May cause drowsiness or dizziness.
Ingestion:	None known.
Skin contact:	None known.
Eve contact:	Causes serious eye damage.

Carcinogenicity

IARC: No component of this product present a levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Reproductive toxicity: No data available

Specific target organ toxicity – single exposure:

No data available.

Specific target organ toxicity – repeated exposure:

No data available

Aspiration hazard

No data available

SECTION 12 — ECOLOGICAL INFORMATION

Ecotoxicity: Acute hazards to the aquatic environment: Fish: Methyl Acetate: LC-50 (Fathead Minnow, 96h): 320 – 399 mg/l

1,3 Dioxolane: Semi-static test LC50 – Lepomis macrochirus -> 95.4 mg/l – 96 h Persistence and degradability: Biodegradration: Methyl Acetate: 70% (28 d)
1,3 Dioxolane: 3.7% Aerobic (35 d) -According to the results of tests of biodegradability this product is not readily biodegradable. OECD Test Guideline 301D)

Bioaccumulative potential:

No data available.

Mobility in soil: No data available.

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

Other adverse effects: No data available.

SECTION 13 — DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose of in accordance with all applicable local, state, and federal regulations

SECTION 14 — TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Flammable liquid, n.o.s. Limited Quantity*.

DOT Hazard Class:	3 FLA	MMABLE LIQUID	
UN/NA Number:	UN1993	Packing Group:	II

*Limited Quantity Exemption: This product, as packaged in 6 oz. & 20 oz. containers, meets the exemption requirements of section 173.150 (49 CFR 173) as a limited quantity for ground shipments within the United States. Limited quantities require the limited quantity diamond mark on all outer cartons.

TRANSPORT BY SEA (IMDG): UN1993 Flammable liquids, n.o.s. METHYL ACETATE, 3, II

AIR TRANSPORT: We do NOT recommend this product to be shipped via air. It would need to be repacked by an authorized packing company and the DG would have to be completed by a licensed hazardous material shipping company.

SECTION 15 — REGULATORY INFORMATION

This material meets the EPA 'Hazard Categories' defined For SARA Title III Sections 311/312 as indicated: [X] Yes [] No Acute (immediate) Health Hazard
[X] Yes [] No Chronic (delayed) Health Hazard
[X] Yes [] No Fire Hazard
[] Yes [X] No Sudden Release of Pressure Hazard
[] Yes [X] No Reactive Hazard

US EPCRA (SARA Title II) Section 313 - Toxic Chemical List: No ingredients listed

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
646-06-0	1,3-Dioxolane	Massachusetts, Pennsylvania, New Jersey

California Prop. 65 Components: No Ingredient Listed

SECTION 16 — OTHER INFORMATION

Full text of H-Statements referred to under section 2 and 3.

I un text of II Statemer	tis referred to under section 2 and 5.
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquids
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation
HMIS Rating:	
Health hazard:	2
Chronic health haza	rd: *
Flammability:	3
Physical hazard:	0
NFPA Rating:	
Health hazard:	2
Fire hazard:	3
Reactivity hazard:	0
Revision Date:	04/12/2022
Reason for revision:	IMDG Information added to Section 14

Company Policy or Disclaimer:

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.